

ISTA 6 - Amazon.com – SIOC - A Test Report_External

VERSION DATE: 5/9/2018

ITEM INFORMATION

Vendor/Seller Name:

ASIN:

Item:

Certification Passed: Pass: Tier 1- Frustration Free Packaging (FFP)
 Pass: Tier 2- Ships In Own Container (SIOC)
 Fail: Tier 3- Enforced Over Box (EOB)

LAB INFORMATION

Testing Lab:

Location:

Date of Test:

ISTA Member/ Lab Tech:

TEST RESULTS

Tested Item Summary		
Number of Samples Tested	Number of Samples Passed	Number of Samples Failed

Post Test Comments:

Overview	
Product Condition	
Packaging Condition	

Standard Company Disclaimer:

Internal Doc ID#: _____
Date: _____

LAB TEST REQUEST {filled out by requestor}

Test Requestor	
Project Name	
Submission Date	
Due Date	

ASIN	Manufacturer	Description

Package Dimension	
Package Weight	
Classification 1	
Classification 2	Parcel
Test Type	ISTA 6 –Amazon.com SIOC - A
Fragile/Non-Fragile	
Value Add Packaging (VAP)	
Value Add Packaging (VAP) Info	
Total Test Samples	
Additional Notes	

PRE-TEST INSPECTION {filled out by lab}

Product Condition	
Package Condition	
Package Condition before testing	<input type="checkbox"/> ORIGINAL as arrived in the lab for testing <input type="checkbox"/> NEW re-packaged with new materials before testing
Corrugated Info (Box Cert if available)	
Dunnage Info	
Additional Notes	

Standard Company Disclaimer:

PRE-TEST PICTURES

Six sides of the ASIN package should be numbered and photographed. If a box cert is present it should be taken and recorded. Isometric picture views should be taken as called out below. Pictures of special call outs and or damage should have description of location and detailed information in the text box below the picture.

Side 1	Side 2	Side 3

Side 4	Side 5	Side 6

Box Cert (If Applicable)	ISO #1 Side 1/2/5	ISO #2 Sides 3/4/6

Standard Company Disclaimer:

TEST DETAIL

Items in black were completed and values updated.

Test	Value	P/F	P/F	P/F	P/F	P/F	OBSERVATIONS
BLOCK 1:Temp and Humidity							Ambient Lab Temp 12+ hours
BLOCK 2: Drop 1-7	18 INCHES						
BLOCK 2: Drop 8	36 INCHES						
BLOCK 2: Drop 9	18 INCHES						
BLOCK 12: Vib with Top Load Face 3							
BLOCK 12: Vib with Top Load Face 4							
BLOCK 12: Vib with Top Load Face 6							
BLOCK 12: Vib Face 3 (Pick-Up Truck)	0 Lbs.						
BLOCK 15: Drop 10-15	18 INCHES						
BLOCK 15: Drop 16	36 INCHES						
BLOCK 15: Drop 17	18 INCHES						
BLOCK 21: Rotational Edge Drop	Pass/fail						
BLOCK 22: Full Rotational Flat Drop	Pass/fail						
BLOCK 23: Bridge Impact	Pass/fail						
BLOCK 24: Concentrated Edge Impact	Pass/fail						
BLOCK 25: Leak Test	Pass/fail						

TEST PICTURES

Pictures should be taken of each block test set up along with a post picture taken of the item at the end of each test block. Additional pictures of damage should have locations noted, size of damages measured, and written in text box below them.

Block 2 Test Set Up	Block 2 Post Test Item Picture	

TEST PICTURES {continued}




Block 12 Face 3 Test Set up	Block 12 Face 3 Post Test Item Picture	Block 12 Face 3 Test Vibration Profile




Block 12 Face 4 Test Set up	Block 12 Face 4 Post Test Item Picture	Block 12 Face 4 Test Vibration Profile




Block 12 Face 6 Test Set up	Block 12 Face 6 Post Test Item Picture	Block 12 Face 6 Test Vibration Profile

Standard Company Disclaimer:

TEST PICTURES {continued}

		
Block 12 Face 3 (Pick-Up) Test Set up	Block 12 Face 3 Post Test Item Picture	Block 12 Face 3 Test Vibration Profile

		
Block 15 Test Set Up	Block 15 Post Test Item Picture	

		
Block 21 Test Set Up	Block 21 Post Test Item Picture	

Standard Company Disclaimer:

TEST PICTURES {continued}

Block 22 Test Set Up	Block 22 Post Test Item Picture	

Block 23 Test Set Up	Block 23 Post Test Item Picture	

Block 24 Test Set Up	Block 24 Post Test Item Picture	

Standard Company Disclaimer:

TEST PICTURES {continued}

Block 25 Test Set Up	Block 25 Post Test Item Picture	

POST TEST PICTURES

Isometric views of the box should be taken as called out in first two picture spots. An exploded BOM view should be added to the third slot. Additional pictures of damage should have locations noted, size of damages measured, and written in text box below them.

ISO #1 Side 1/2/5	ISO #2 Sides 3/4/6	Exploded BOM View

POST TEST PICTURES {continued}

END OF REPORT